
Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



WHOLESALE
PRICE LIST

1-9-3-9

62.61

VISSER'S NURSERIES

MERRICK ROAD
SPRINGFIELD GARDENS

Long Island, N. Y.

Nurseries also at HIGBIE LANE BABYLON, L. I.

MEMBER OF LONG ISLAND NURSERYMEN'S ASSOCIATION

TELEPHONE LAURELTON 8-1119 This Catalogue cancels all previous quotations.

Prices in this list are net, F. O. B. our Nurseries. subject to change without notice.

STOCK especially selected will be priced according to value.

TERMS. Cash.

TRUCKING and PACKING is additional at cost.

BALLING and BURLAPPING

B. & B., ball and burlap:—is free of charge with all evergreens and also with deciduous stock where specified, "B. & B." A charge will be made for digging deciduous stock with ball and burlap where not specified, "B. & B.", as per the following schedule:—

Shrubs	Trees
2 to 3 ft\$.15	Diam. ball 15 in\$ 70
3 to 4 ft	18 in 1.50 24 in 2.50
4 to 5 ft30	30 in 3.50 36 in 4.50
5 to 6 ft50	42 in 9.00

PLATFORMS:—The cost of the platforms is in addition to above prices, but will be rebated, if returned to our Nursery.



CONTENTS

Page	
Coniferous and Broadleaved Evergreens 3	
Deciduous Trees and Shrubs	,
Roses 27	
Vines 32	2
Fruit Trees 33	3
Hardy Herbaceous Perennials 33	3
Lawn Grass-Seed 34	-
Peat Moss 34	+
Reed Mats 34	+
Fertilizers 34	1
Burlap 34	1
Berry Bearing Trees and Shrubs 35	5
Index 37	7

CONIFEROUS AND BROADLEAVED EVERGREENS

	L V LIIGIILLIAD	
ABELIA gran		•
$1\frac{1}{2}$ -2 ft.	Potgrown	50
	В&В	
ABIES arizon	nica	Cork Fir
1½-2 ft.		80
		4 _
balsamea		Balsam Fir
4-5 ft.		. 1.50
5-6 ft.		. 2.00
concolor		White Fir
$1\frac{1}{2}$ -2 ft.		75
	PSEUDOTSUGA, pa	•
homolepis		Nikko Fir
$2\frac{1}{2}$ -3 ft.		1.25
Veitchii		Veitch Fir
		_
7-8 ft		7.00
ANDROME	DA (see PIERIS, pag	ge 12)
AZALEA an	noena Purple Red Jag	panese Azalea
8-10 in		45
10-12 in		50
12-15 in		75
flame		ge Red Azalea
12-15 in		75
, 0 It		

AZALEA	hinodegiri	Red Japanese Azalea
8-10	in	
10-12	in	
		1.25
	in	Di
	in	
	in. specimens	
hinomay		Soft Pink Azalea
	in	
	in	
15-18	in	1.50
ledifolia	alba (Indica a	lba)
	·	White Japanese Azalca
15-18		
		2.00
		2.75
	11	2.19
		1.50
	in	
	ft	
2		
$2\frac{1}{2}$	ft	3.00.
-magnific	a (Indica rosea)	
	in	
	ft	
macrant	ha	Red Salmon Azalea
	in coread	
maxwell	in. spread	Deep Rose, Single
1114XWEII		Deep Rose, Single 1.00
12-13	in	1.00
		1.25
		1.75
		Lilac, Korean Azalea
12-15	in	1.25
15-18	in	1.75
$1\frac{1}{2}-2$	ft	2.25
snow		Pure White
	in	
yayegiri		mon Red, Semi-Double
		1.25
(for	other AZALEA	AS, see page 20)
BERBERI	S ilicifolia	Holly Barberry
$-1\frac{1}{2}-2$	ft	
juliana		
•	in	
		1.00
	11. D & D	1.00
sargenti	fr D 0 D	50
1 /2 - 2	п. в & в	
BIOTA or	ientalis (see TF	HUJA orientalis, p. 18)
BUXUS j	aponica	Japanese Boxwood
	ft	
2	ft	
3		3.00-5.00
To Decine	- Politica	3.00 3.00

BUXUS myrtifolia Myrtle Leaf Boxwood
8-10 in. broad
10-12 in. "
sempervirens (BUSHES) Boxwood
8-10 in
18-21 in 1.00
18-21 in. extra heavy 1.50
21-24 in
21-24 in. extra heavy 2.00
24-27 in 2.25
27-30 in
30x30 in 4.00
36 in 4.00-5.00
40 in 4.00-6.00
GLOBES
12 in
14 in 1.20
16 in 1.60
18 in 2.10
20 in
PYRAMIDS
2 ft
2½ ft 2.25
3 ft
3½ ft
sempervirens handsworthi aurea
Golden Handsworth Boxwood
10-12 in. slim, bare root
10-12 in. heavy B & B
suffruticosa True Dwarf Boxwood
4-5 in. bare roots
5-6 in. " "
6-8 in. " "
6-8 in. heavy
8-10 in. B & B
10-12 in. B & B
12-15 in. B & B 1.00-1.25
15-18 in. B & B 1.25-1.50
18-21 in. B & B 2.00-2.50
22 in
CALLUNA vulgaris Heather
6-8 in. 2 years
8-10 in. 3 years
10-12 in. 3 years
-alba White Heather
9-12 in

	4
CEDRUS atlantica 3-3½ ft	Atlas Cedar
—glauca	Blue Atlas Cedar
3-4 ft. frequently trai	nsplanted. 1.75
4-5 ft.	·• 2.50
	" 3.50
5-6 ft. "	
deodara	Deodar Cedar
4-5 ft	3.00
5-6 ft	
har o A	(0 0
7-8 ft	6.00
8-9 ft	7.50
CEPHALOTAXUS fortun	
$1\frac{1}{2}$ -2 ft	1.50
2-2½ ft	2.00
CHAMAECYPARIS laws	
	Blue Lawson Cypress
3-4 ft	1 75
CITANIAD CADADIC (DE	TIMOCDODA
CHAMAECÝPARIS (RE	
obtusa gracilis Si	lender Hinoki Cypress
$1\frac{1}{2}$ ft	
and the second s	
$2-2\frac{1}{2}$ ft	1.20
$2\frac{1}{2}$ -3 ft	1.60
— — compacta	npact Hinoki Cypress
15-18 in	1 70
41/ 0 0	
$1\frac{1}{2}$ -2 ft	2.00
$2-2\frac{1}{2}$ ft	2.50
	warf Hinoki Cypress
6 in	
8 in	
10 in	4 40
10 :	4 50
12 in	1.50
15 in	2.20
40.	
—youngi Y	Young Golden Cypress
4-5 ft	3.00
pisifera	Suzvara Cypress
7-8 ft	4.50
8-10 ft	7.00
—aurea G	olden Sawara Cypress
$2\frac{1}{2}$ -3 ft	1.00
0.4	
4-5 ft	2.00
5-6 ft	2.75
C 77 C.	
6-7 ft	
7-8 ft	4.00
—filifera	Thread Cypress
3-4 ft	1.50
4-5 ft	2.50
6-7 ft	4.00
— — aurea Go	olden Thread Cypress
	2 2
12-15 in	
15-18 in	
$2-2\frac{1}{2}$ ft	2.00

CHAMAECYPARIS plumosa Plume Cypres
1½-2 ft
2-2½ ft
$2\frac{1}{2}$ ft
3-4 ft 1.25
5-6 ft
6-7 ft
7-8 ft 4.00
8-10 ft 7.00
—aurea Golden Plume Cypres
12-15 in
15-18 in
$1\frac{1}{2}$ -2 ft
2-2½ ft
$2\frac{1}{2}$ -3 ft
3-4 ft
4-5 ft
5-6 ft 2.75
6-7 ft
7-8 ft 4.50
—aurea compacta Golddust Cypres
12-15 in
15-18 in
$1\frac{1}{2}$ -2 ft
—lutescens Druarf Yellow Plume Cypres
12-15 in
15-18 in
2-2½ ft 1.25
squarrosa sulphurea Sulphur Moss Cypres
12-15 in
15-18 in
—veitchii Veitch Moss Cypres
15-18 in
1½-2 ft
2-2½ ft
2½-3 ft 1.00
3-4 ft 1.50
4-5 ft 2.25
5-6 ft 3.00
6-7 ft 4.00
COTONEASTER franchetti
Franchet Cotoneaste
2-2½ ft. B & B
horizontalis Rock Cotoneaster
9-12 in. potgrown
12-15 in., 6 in. pots
15-18 in., 6 in. pots
1½-2 ft., 6 in. pots 1.00
hupehensis Hupeh Cotoneaster
1½-2 ft. B & B
microphylla Rockspray Cotoneaster
12-15 in. B & B
rotundifolia (buxifolia)
Roundleaf Cotoneaster
10-12 in., 5 in. pots

COTONEASTER salicifolia
Willow-leaf Cotoneaster
18 in. B & B
2-2½ ft. B & B
CRYPTOMERA japonica lobbi
<i>Lobb Cryptomeria</i> 2-3 ft
2-3 ft
4-5 ft 1.75
5-6 ft 2.50
6-7 ft
7-8 ft 4.50
8-10 ft
DAPHNE cneorum Rose Daphne
6-8 in
10-12 in
12-15 in
EUONYMUS radicans Wintercreeper
6-9 in
12-15 in. heavy
minimus (kewensis) Baby Wintercreeper
24 in
-variegatus Variegated Leaf Wintercreeper 6-9 in
-vegetus Big Leaf Wintercreeper
15-18 in. bushy
1½-2 ft. "
GAUTHERIA procumbens Checkerberry 4-6 in. clumps
HEDERA helix English Ivv
2 years, 3 in. pots
2 years, 4 in. pots
ILEX crenata Japanese Holly
1½-2 ft 1.00 2-2½ ft 1.75
2-2½ ft
3-4 ft
5-6 ft 4.00-5.00
Trimmed and shaped into flat trees,
adding glamorous effect to group
plantings. 15 in. high, 2½ ft. spread 2.00
15 in. high, 3 ft. spread 2.75
—helleri Heller's Spreading Holly
12-15 in. spread 2.50
15-18 in. " 3.30
—convexa (bullata) Boxleaf Japan Holly 12-15 in. bushy
12-15 in. bushy
1½-2 ft. "
[1] [1] [2] [2] [3] [4] [4] [4] [4] [4] [4] [4] [4] [4] [4

	_
ILEX crenata	
—latifolia Large Leaf Japanese Holly 2-2½ ft 1.75	У
2½-3 ft	
glabra Inkberry	1 1
15-18 in	y
1½-2 ft1.00-1.25	
2-2½ ft	
opaca American Holls	ν
(SELECTED BERRIED PLANTS	
50% additional)	
1½-2 ft 1.00	
2-2½ ft 1.25	
2½-3 ft 1.75	
3-4 ft 2.50	
4-5 ft	
5-6 ft 4.50	
6-7 ft	
7-8 ft. slim 6.00-9.00	
JUNIPERUS chinensis columaris	
Column Chinese Junipe	r
2½-3 ft 1.00	
3-4 ft 1.50	
4-5 ft 2.25	
5-6 ft 2.75	
6-7 ft	
7-8 ft 4.75	
8-10 ft	
—pfitzeriana Pfitzer Juniper	r
15-18 in. spread	
2-272 It 1.30	
272-3 It 1.75	
3-372 II 2.50	
3 ½-4 It 3.00	
4-5 II. 4.00	
3-6 ft. 4.50	
0-/ It 6.00	
communis aurea Golden Common Juniper	r
15-18 in. spread	
2-2½ ft. " 1.50 —hibernica Irish Juniber	••
—hibernica <i>Irish Juniper</i> 2½-3 ft	r
4-5 tt 1.75 —suecica Swedish Juniper	v
2½-3 ft	,
3-4 ft	
excelsa stricta Spiny Greek Juniper	1 ^
10-12 in	′
12-15 in	
15-18 in	
1½-2 ft	
2-2½ ft	
2½-3 ft 1.60	

JUNIPERUS excelsa stricta
3-4 ft 2.00
4-5 ft
5-6 ft 4.00
horizontalis Bar Harbor
Bar Harbor Juniper
9-12 in
15-18 in
—plumosa Plumed Spreading Juniper 9-12 in
9-12 in
3-3½ ft 1.50
rigida Necdle Juniper
7-8 ft 3.00
sabina tamarisifolia Tamarix Savin Juniper
12-15 in. spread
15-18 in. " 1.20
1½-2 ft. " 1.80
3-4 It 3.00
squamata meyeri Meyer Juniper 10-12 in
10-12 in
15-18 in 1:10
1½-2 ft 1.50
virginiana Red Cedar
3-3½ ft
6-7 ft
7-8 ft. specimen
8-10 ft. "5.00-7.00
10-12 II
—glauca Silver Red Cedar 2½-3 ft 1.00
5-6 ft 3.00
6-7 ft 4.00
KALMIA angustifolia Sheep Laurel
12-15 in
$1\frac{1}{2}$ -2 ft
2-2½ ft 1.50
latifolia Mountain Laurel
15-18 in
1½-2 ft
2-2½ ft
2½-3 ft
4-5 ft
(Collected compact clumps, with good balls
of earth)
2 ft 1.00
LEIOPHYLLUM buxifolium Box Sand Myrtle
9-12 in
LEUCOTHOE catesbaei Drooping Leucothoe
12-15 in
15-18 in
$1\frac{1}{2}$ -2 ft 1.00

MAHONIA aquifolium O	regon Hollvarabe
12-15 in	
15-18 in	
1½-2 ft	
PACHYSANDRA terminalis	
1 year	
2¼ in. pots	06
2½ in. pots	
3 in. pots	09
PICEA canadensis (alba) 2-2½ ft	~
	Norway Spruce
15-18 in	
1½-2 ft	
2-2½ ft	
2½-3 ft	
3-4 ft	
4-5 ft	
5-6 ft	
6-7 ft	2.50
7-8 ft	
8-10 ft	
10-12 ft	
—nana compacta Dwar	
10 in	•
12 in	1.75
—pendula Weepin	ng Norway Spruce
3-3½ ft	
glauca conica Dwa	
2 ft	•
2½ ft	
3 ft	
orientalis	Oriental Spruce
	_
8-10 ft	
10-12 ft	
pungens	Colorado Spruce
1½-2 ft	
2-2½ ft	
$2\frac{1}{2}$ -3 ft	
2½-3 ft	80
3-4 ft	80 1.10 1.50
3-4 ft	80 1.10 1.50 2.25
3-4 ft	80 1.10 1.50 2.25 3.30
3-4 ft	80 1.10 1.50 2.25 3.30 5.50
3-4 ft	
3-4 ft	
3-4 ft	80 1.10 1.50 2.25 3.30 5.50 8.00
3-4 ft	
3-4 ft	
3-4 ft	
3-4 ft. 4-5 ft. 5-6 ft. 6-7 ft. 7-8 ft. 12-14 ft. —glauca Colo 15-18 in. 1½-2 ft. 2-2½ ft.	
3-4 ft. 4-5 ft. 5-6 ft. 6-7 ft. 7-8 ft. 12-14 ft. —glauca Colo 15-18 in. 1½-2 ft. 2-2½ ft. 2½-3 ft.	
3-4 ft. 4-5 ft. 5-6 ft. 6-7 ft. 7-8 ft. 12-14 ft. —glauca Colo 15-18 in. 1½-2 ft. 2-½-3 ft. 3-4 ft.	
3-4 ft. 4-5 ft. 5-6 ft. 6-7 ft. 7-8 ft. 12-14 ft. —glauca Colo 15-18 in. 1½-2 ft. 2-2½ ft. 2½-3 ft. 3-4 ft. 4-5 ft.	
3-4 ft. 4-5 ft. 5-6 ft. 6-7 ft. 7-8 ft. 12-14 ft. —glauca Colo 15-18 in. 1½-2 ft. 2-½-3 ft. 3-4 ft. 4-5 ft. 5-6 ft.	
3-4 ft. 4-5 ft. 5-6 ft. 6-7 ft. 7-8 ft. 12-14 ft. —glauca	
3-4 ft. 4-5 ft. 5-6 ft. 6-7 ft. 7-8 ft. 12-14 ft. —glauca Colo 15-18 in. 1½-2 ft. 2-½-3 ft. 3-4 ft. 4-5 ft. 5-6 ft.	

PICEA pungens Kosteri Koster's B	lue Spruce
1½-2 ft	2.00
2-2½ ft	2.50
2½-3 ft	3.00
3-3½ ft	3.75
$3\frac{1}{2}$ -4 ft	4.50
4-5 ft	6.00
5-6 ft	8.00
6-7 ft	10.00
7-9 ft	
— pendula Weeping B	lue Spruce
3 ft	4.00
PIERIS floribunda Mountain A	Indromeda
1½-2 ft	1.75
2-2½ ft	2.00
$2\frac{1}{2}$ -3 ft	2.50
3-3½ ft	3.00
japonica Japanese A	Indromeda
12-15 in	.70
15-18 in	.90
$1\frac{1}{2}$ -2 ft	1.40
2-2½ ft	2.00
$2\frac{1}{2}$ -3 ft	2.75
3-4 ft	0-5.00
PINUS cembra Swiss S	Stone Pine
2½-3 ft	3.00
3-4 ft	4.00
4-5 ft	5.00
	Red Pine
$2\frac{1}{2}$ -3 ft	.80
3-4 ft	1.20
3-4 ft. spread, trimmed flat	3.00
4-5 ft. " "	4.00
densiflora umbraculifera (Tanyosho)
Japanese T	
2½-3 ft	2.25 ·
3-4 ft	3.00
12-15 in. spread	ngho Pine .75
15-18 in. "	1.00
1½-2 ft. "	1.40
$2-2\frac{1}{2}$ ft. "	2.00
nigra (austriaca) — Aust	
4-5 ft	3.00
5-6 ft	4.00
6-7 ft	6.00
	hite Pine
15 in. dense plants	.40
4-5 ft. " "	2.00
5-6 ft. " "	2.75
6-7 ft. " "	3.50

PINUS S'	TRC	DBUS
		dense plants 4.50
8-10		" " 7.00-10.00
10-12		10.00-12.00
12-14		12.00-13.00
thunberg	•	Japanese Black Pine
		1.00
2½-3 3-4		
0 .		GA douglasi Douglas Fir
1½-2		
	9	
3-4		1.20
4-5		1.60
		2.25
6-7	ft.	2.75
7-8	ft.	4.00
8-9	ft.	6.00
9-10		8.00
10-12	ft.	9.00-14.00
PYRACAI	NTE	HA coccinea Scarlet Firethorn
4-5 ft	. hea	avy, annually transplanted
		2.00-4.00
—lalandi		Laland Firethorn
2-3		1 00
3-31/2	-	1.20
21/ 4	<i>~</i> ,	2.00
3½-4 DETINOS		$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
		RA (see CHAMAECYPARIS
RETINOS	SPOI	RA (see CHAMAECYPARIS page 6)
RETINOS	SPOI	RA (see CHAMAECYPARIS page 6) DRON carolinianum
RETINOS	SPOI ENI	RA (see CHAMAECYPARIS page 6)
RETINOS RHODOD (1	SPOI ENI Nurs	RA (see CHAMAECYPARIS page 6) DRON carolinianum Carolina Rhododendron sery Grown) well budded
RETINOS RHODOD (1 12-15	SPOI ENI Nurs in.	RA (see CHAMAECYPARIS page 6) DRON carolinianum Carolina Rhododendron sery Grown) well budded
RETINOS RHODOD (1 12-15 15-18	EPOI ENI Nurs in. in.	RA (see CHAMAECYPARIS page 6) DRON carolinianum Carolina Rhododendron sery Grown) well budded
RETINOS RHODOD (12-15 15-18 11/2-2	EPOI ENI Nurs in. in. ft.	RA (see CHAMAECYPARIS page 6) DRON carolinianum Carolina Rhododendron sery Grown) well budded
RETINOS RHODOD (1 12-15 15-18 1½-2 2-2½	EPOI ENI Nurs in. in. ft. ft.	RA (see CHAMAECYPARIS page 6) DRON carolinianum Carolina Rhododendron sery Grown) well budded
RETINOS RHODOD (1 12-15 15-18 1½-2 2-2½ catawbie	EPOI ENI Nurs in. in. ft. ft.	RA (see CHAMAECYPARIS page 6) DRON carolinianum Carolina Rhododendron sery Grown) well budded
RETINOS RHODOD (1 12-15 15-18 1½-2 2-2½ catawbie (1	ENI Nurs in. in. ft. ft. nse	RA (see CHAMAECYPARIS page 6) DRON carolinianum Carolina Rhododendron sery Grown) well budded
RETINOS RHODOD (1 12-15 15-18 1½-2 2-2½ catawbie (1 12-15	ENI Nurs in. in. ft. ft. nse Nurs in.	RA (see CHAMAECYPARIS page 6) DRON carolinianum Carolina Rhododcudron sery Grown) well budded
RETINOS RHODOD (1 12-15 15-18 1½-2 2-2½ catawbie (1 12-15 15-18	EPOI ENI Nurs in. in. ft. ft. nse Nurs in. in.	RA (see CHAMAECYPARIS page 6) DRON carolinianum Carolina Rhododcudron sery Grown) well budded
RETINOS RHODOD (1 12-15 15-18 1½-2 2-2½ catawbie (1 12-15 15-18 1½-2	EPOI ENI Nurs in. in. ft. nse Nurs in. in. ft.	RA (see CHAMAECYPARIS page 6) DRON carolinianum Carolina Rhododendron sery Grown) well budded
RETINOS RHODOD (1 12-15 15-18 1½-2 2-2½ catawbie (1 12-15 15-18 1½-2 2-2½	EPOI ENI Nurs in. in. ft. nse Nurs in. in. ft. ft.	RA (see CHAMAECYPARIS page 6) DRON carolinianum Carolina Rhododcudron sery Grown) well budded
RETINOS RHODOD (1 12-15 15-18 1½-2 2-2½ catawbie (1 12-15 15-18 1½-2 2-2½ 2½-3	ENI Nurs in. in. ft. nse Nurs in. in. ft. ft.	RA (see CHAMAECYPARIS page 6) DRON carolinianum Carolina Rhododcndron sery Grown) well budded
RETINOS RHODOD (1 12-15 15-18 1½-2 2-2½ catawbie (1 12-15 15-18 1½-2 2-½-3 3-3½	EPOI ENI Nurs in. in. ft. nse Nurs in. in. ft. ft. ft.	RA (see CHAMAECYPARIS page 6) DRON carolinianum Carolina Rhododendron sery Grown) well budded
RETINOS RHODOD (1 12-15 15-18 1½-2 2-2½ catawbie (1 12-15 15-18 1½-2 2-½-3 3-3½ 3½-4	ENI Nurs in. in. ft. nse Nurs in. ft. ft. ft. ft.	RA (see CHAMAECYPARIS page 6) DRON carolinianum Carolina Rhododcudron sery Grown) well budded
RETINOS RHODOD (1 12-15 15-18 1½-2 2-2½ catawbie (1 12-15 15-18 1½-2 2-½-3 3-3½	ENI Nurs in. in. ft. nse Nurs in. ft. ft. ft. ft.	RA (see CHAMAECYPARIS page 6) DRON carolinianum Carolina Rhododcudron sery Grown) well budded
RETINOS RHODOD (1 12-15 15-18 1½-2 2-2½ catawbie (1 12-15 15-18 1½-2 2-2½ 2½-3 3-3½ 3½-4 maximum	ENI Nurs in. ft. ft. nse Nurs in. ft. ft. ft. ft.	RA (see CHAMAECYPARIS page 6) DRON carolinianum Carolina Rhododcudron sery Grown) well budded
RETINOS RHODOD (1 12-15 15-18 1½-2 2-2½ catawbie (1 12-15 15-18 1½-2 2-½-3 3-3½ 3½-4	ENI Nurs in. in. ft. nse Nurs in. ft. ft. ft. ft. ft.	RA (see CHAMAECYPARIS
RETINOS RHODOD (1 12-15 15-18 1½-2 2-2½ catawbie (1 12-15 15-18 1½-2 2-½-3 3-3½ 3½-4 maximum 1½-2	POI ENI Nurs in. in. ft. ft. ft. ft. ft. ft. ft. ft. ft.	RA (see CHAMAECYPARIS page 6) DRON carolinianum Carolina Rhododendron sery Grown) well budded
RETINOS RHODOD (1 12-15 15-18 1½-2 2-2½ catawbie (1 12-15 15-18 1½-2 2-½-3 3-3½ 3½-4 maximum 1½-2 2-2½	POI ENI Nurs in. in. ft. ft. ft. ft. ft. ft. ft. ft. ft.	RA (see CHAMAECYPARIS page 6) DRON carolinianum Carolina Rhododendron sery Grown) well budded
RETINOS RHODOD (1 12-15 15-18 1½-2 2-2½ catawbie (1 12-15 15-18 1½-2 2-2½ 2½-3 3-3½ 3½-4 maximum 1½-2 2-2½ 2½-3	ENI Nurs in. ft. ft. nse Nurs in. ft. ft. ft. ft. ft. ft. ft.	RA (see CHAMAECYPARIS page 6) DRON carolinianum Carolina Rhododendron sery Grown) well budded
RETINOS RHODOD (1 12-15 15-18 1½-2 2-2½ catawbie (1 12-15 15-18 1½-2 2-½-3 3-3½ 3½-4 maximum 1½-2 2-½-3 3-3½ 3½-4 maximum	POI ENI Nurs in. ft. ft. nse Nurs in. ft. ft. ft. ft. ft. ft. ft. ft. ft.	RA (see CHAMAECYPARIS page 6) DRON carolinianum Carolina Rhododendron sery Grown) well budded

RHODODENDRON HYBRIDS, well budded ALBUM ELEGANS—Blush fading to white 15-18 in. 1.50 11½-2 ft. 2.00 3-3-3½ ft. 5.00 4-5 ft. 9.00-12.00 ALBUM NOVUM—Blush White 1½-2 ft. 2.00 2-2½ ft. 3.00 5-6 ft. 12.00-15.00 AMERICA—Deep Red 15-18 in. 2.00 1½-2 ft. 2.50 BOULE DE NEIGE—Pure White 15-18 in. 50-2-2½ ft. 3.00 2½-3 ft. 4.00 CARACTACUS—Red 15-18 in. 1.50 2-2½-3 ft. 4.00 CATAWBIENE ALBUM—White 15-18 in. 1.75 2½-3 ft. 5.00 3-3½-4 ft. 10.00-12.00 CHARLES BAGLEY—Red 1½-2 ft. 3.00 2½-3 ft. 6.00 1½-2 ft. 3.00 2½-3 ft. 6.00 DR. H. C. DRESSELHUIS—Aniline Red 15-18 in. 1.50 2-2½ ft. 3.00 2½-3 ft. 5.00 3-3½-4 ft. 5.00 3-3½-4 ft. 5.00 3-3½-4 ft. 5.00 3-3½-4 ft. 5.00 1½-2 ft. 3.00 2-2½ ft. 3.00 2-2½ ft. 3.00 3-2-2½ ft. 3.00 3-2-2½ ft. 3.00 3-2-2½ ft. 3.00 3-2-2½ ft. 3.00 3-3½-3 ft. 5.00 1-3½-2 ft. 3.00 3-3½-3 ft. 5.00 1-3½-2 ft. 3.00 3-3½-3 ft. 5.00 1-3½-2 ft. 3.00 3-3½-3 ft. 5.00 5-3½-3 ft. 5.00 5-3		
ALBUM ELEGANS—Blush fading to white 15-18 in.	RHODODENDRON HYBRIDS, wel	1 budded
15-18 in. 1.50 1½-2 ft. 2.00 3-3½ ft. 5.00 4-5 ft. 9.00-12.00 ALBUM NOVUM—Blush White 1½-2 ft. 2.00 2-2½ ft. 3.00 5-6 ft. 12.00-15.00 AMERICA—Deep Red 15-18 in. 2.00 1½-2 ft. 2.50 BOULE DE NEIGE—Pure White 15-18 in. 1.50 2-½-3 ft. 3.00 2½-3 ft. 4.00 CATAWBIENE ALBUM—White 15-18 in. 1.75 2½-3 ft. 7.00 3-½-4 ft. 10.00-12.00 CHARLES BAGLEY—Red 1½-2 ft. 1.50 CHARLES DICKENS—Vivid Scarlet 15-18 in. 2.00 1½-2 ft. 3.00 2-½-3 ft. 5.00 3-½-4 ft. 15-00 CHARLES DICKENS—Vivid Scarlet 15-18 in. 2.00 1½-2 ft. 3.00 2-2½-3 ft. 5.00 3-2½-4 ft. 3.00 2-2½-5 ft. 3.00 2-2½-6 ft. 3.00 2-2½-7 ft. 3.00 2-2½-1 ft. 3.00 2-2½-1 ft. 3.00 2-2½-2 ft. 3.00 3-2½-1 ft. 3.00 2-2½-2 ft. 3.00 1½-2 ft. 3.00 CHARLES DICKENS—Vivid Scarlet 15-18 in. 1.50 DR. H. C. DRESSELHUUS—Anilime Red 15-18 in. 1.50 DR. H. C. SARGENT—Rich Crimson 15-18 in. 1.50 LS. RAND—Rich Scarlet 15-18 in. 1.50 H. W. SARGENT—Rich Crimson 15-18 in. 1.50 H. W. SARGENT—Rose Scarlet 2-2½-1 ft. 3.00 LADY CLERMONT—Red, black blotch 15-18 in. 2.00 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-2½-1 ft. 3.00	•	
3-3½ ft	•	
ALBUM NOVUM—Blush White 1½-2 ft. 2.00 2-2½ ft. 3.00 5-6 ft. 12.00-15.00 AMERICA—Deep Red 15-18 in. 2.00 1½-2 ft. 2.50 BOULE DE NEIGE—Pure White 15-18 in. 5pread 4.00 CARACTACUS—Red 15-18 in. 1.50 2-2½ ft. 3.00 2½-3 ft. 4.00 CATAWBIENE ALBUM—White 15-18 in. 1.75 2½-3 ft. 5.00 3-3½ ft. 7.00 3½-4 ft. 10.00-12.00 CHARLES BAGLEY—Red 1½-2 ft. 3.00 2-2½ ft. 3.00 2-2½ ft. 3.00 2-2½ ft. 3.00 2-2½ ft. 1.50 CHARLES DICKENS—Vivid Scarlet 15-18 in. 2.00 1½-2 ft. 3.00 2-2½-3 ft. 5.00 3-3½-4 ft. 1.50 CHARLES DICKENS—Vivid Scarlet 15-18 in. 2.00 1½-2 ft. 3.00 2-2½ ft. 3.00 2-2½ ft. 3.00 2-2½ ft. 5.00 DR. H. C. DRESSELHUIS—Aniline Red 15-18 in. 1.50 I½-2 ft. 2.25 2-½ ft. 3.00 E. S. RAND—Rich Scarlet 15-18 in. 1.50 H. W. SARGENT—Rich Crimson 15-18 in. 1.50 H. W. SARGENT—Rich Crimson 15-18 in. 1.50 I½-2 ft. 2.25 2-½ ft. 3.00 KETTLEDRUM—Deep Red 15-18 in. 1.50 I½-2 ft. 2.50 IGNATIUS SARGENT—Rose Scarlet 2-2½ ft. 3.00 KETTLEDRUM—Deep Red 15-18 in. 1.50 I½-2 ft. 2.25 2½-3 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-2½ ft. 3.00		
ALBUM NOVUM—Blush White 1½-2 ft. 2.00 2-2½ ft. 3.00 5-6 ft. 12.00-15.00 AMERICA—Decp Red 15-18 in. 2.00 1½-2 ft. 2.50 BOULE DE NEIGE—Pure White 15-18 in. 5pread 2.75 1½-2 ft. spread 4.00 CARACTACUS—Red 15-18 in. 1.50 2-2½ ft. 3.00 2½-3 ft. 4.00 CATAWBIENE ALBUM—White 15-18 in. 1.75 2½-3 ft. 5.00 3-3½ ft. 7.00 3½-4 ft. 10.00-12.00 CHARLES BAGLEY—Red 1½-2 ft. 1.50 CHARLES DICKENS—Vivid Scarlet 15-18 in. 2.00 1½-2 ft. 3.00 2-2½ ft. 4.00 2-2½ ft. 4.00 2-2½ ft. 3.00 2-2½ ft. 5.00 DR. H. C. DRESSELHUIS—Aniline Red 15-18 in. 1.50 IY-2-2 ft. 2.25 2-2½ ft. 3.00 3 ft. 5.00 E. S. RAND—Rich Scarlet 15-18 in. 1.50 H. W. SARGENT—Rich Crimson 15-18 in. 1.50 H. W. SARGENT—Rich Crimson 15-18 in. 1.50 KETTLEDRUM—Decp Red 15-18 in. 1.50 KETTLEDRUM—Decp Red 15-18 in. 1.50 LADY CLERMONT—Red, black blotch 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-2½ ft. 3.00		
1½-2 ft. 2.00 2-2½ ft. 3.00 5-6 ft. 12.00-15.00 AMERICA—Deep Red 15-18 in. 2.00 1½-2 ft. 2.50 BOULE DE NEIGE—Pure White 15-18 in. 5pread 2.75 1½-2 ft. spread 4.00 CARACTACUS—Red 15-18 in. 1.50 2-2½ ft. 3.00 2½-3 ft. 4.00 CATAWBIENE ALBUM—White 15-18 in. 1.75 2½-3 ft. 5.00 3-3½ ft. 7.00 3½-4 ft. 10.00-12.00 CHARLES BAGLEY—Red 1½-2 ft. 1.50 CHARLES DICKENS—Vivid Scarlet 15-18 in. 2.00 1½-2 ft. 3.00 2-2½ ft. 4.00 2½-3 ft. 5.00 0-2-2½ ft. 3.00 2-2½ ft. 1.50 CHARLES DICKENS—Vivid Scarlet 15-18 in. 2.00 1½-2 ft. 3.00 2-2½ ft. 4.00 2½-3 ft. 5.00 0-2-2½ ft. 3.00 2-2½ ft. 5.00 0-2-2½ ft. 5.00 0-1½-2 f		12.00
2-2½ ft. 3.00 5-6 ft. 12.00-15.00 AMERICA—Decp Red 15-18 in. 2.00 1½-2 ft. 2.50 BOULE DE NEIGE—Pure White 15-18 in. spread 2.75 1½-2 ft. spread 4.00 CARACTACUS—Red 15-18 in. 1.50 2-2½ ft. 3.00 2½-3 ft. 4.00 CATAWBEENE ALBUM—White 15-18 in. 1.75 2½-3 ft. 5.00 3-3½ ft. 7.00 3-½-4 ft. 10.00-12.00 CHIARLES BAGLEY—Red 1½-2 ft. 1.50 CHARLES DICKENS—Vivid Scarlet 15-18 in. 2.00 1½-2 ft. 3.00 2-2½ ft. 3.00 CR. H. C. DRESSELHUIS—Aniline Red 15-18 in. 1.50 1½-2 ft. 2.25 2-2½ ft. 3.00 E. S. RAND—Rich Scarlet 15-18 in. 1.50 H. W. SARGENT—Rich Crimson 15-18 in. 1.50 H. W. SARGENT—Rich Crimson 15-18 in. 1.50 1½-2 ft. 2.50 IGNATIUS SARGENT—Rose Scarlet 2-2½ ft. 3.00 KETTLEDRUM—Decp Red 15-18 in. 1.50 1½-2 ft. 3.00 LADY CLERMONT—Red, black blotch 15-18 in. 1.50 1½-2 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 5.00-6.00		2.00
5-6 ft. 12.00-15.00 AMERICA—Deep Red 15-18 in. 2.00 1½-2 ft. 2.50 BOULE DE NEIGE—Pure White 15-18 in. spread 2.75 1½-2 ft. spread 4.00 CARACTACUS—Red 15-18 in. 1.50 2-2½ ft. 3.00 2½-3 ft. 4.00 CATAWBIENE ALBUM—White 15-18 in. 1.75 2½-3 ft. 5.00 3-3½ ft. 7.00 3½-4 ft. 10.00-12.00 CHARLES BAGLEY—Red 1½-2 ft. 1.50 CHARLES DICKENS—Vivid Scarlet 15-18 in. 2.00 1½-2 ft. 3.00 2½-3 ft. 6.00 DR. H. C. DRESSELIUIS—Aniline Red 15-18 in. 1.50 1½-2 ft. 2.25 2-2½ ft. 3.00 3 ft. 5.00 E. S. Rand—Rich Scarlet 15-18 in. 1.50 H. W. Sargent—Rich Crimson 15-18 in. 1.50 H. W. Sargent—Rich Crimson 15-18 in. 1.50 KETTLEDRUM—Deep Red 15-18 in. 1.50 1½-2 ft. 2.25 2-2½ ft. 3.00 LADY CLERMONT—Red, black blotch 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00		
AMERICA—Deep Red 15-18 in		
15-18 in. 2.00 1½-2 ft. 2.50 BOULE DE NEIGE—Pure White 15-18 in. spread 2.75 1½-2 ft. spread 4.00 CARACTACUS—Red 15-18 in. 1.50 2-2½ ft. 3.00 2½-3 ft. 4.00 CATAWBIENE ALBUM—White 15-18 in. 1.75 2½-3 ft. 5.00 3½-4 ft. 7.00 3½-4 ft. 10.00-12.00 CHARLES BAGLEY—Red 1½-2 ft. 1.50 CHARLES DICKENS—Vivid Scarlet 15-18 in. 2.00 1½-2 ft. 3.00 2-2½ ft. 4.00 2½-3 ft. 5.00 5-2½ ft. 3.00 2-2½ ft. 3.00 2-2½ ft. 3.00 2-2½ ft. 3.00 CHARLES DICKENS—Vivid Scarlet 15-18 in. 1.50 DR. H. C. DRESSELHUIS—Aniline Red 15-18 in. 1.50 1½-2 ft. 2.25 2-2½ ft. 3.00 3 ft. 5.00 E. S. RAND—Rich Scarlet 15-18 in. 1.50 H. W. SARGENT—Rich Crimson 15-18 in. 1.50 H. W. SARGENT—Rose Scarlet 2-2½ ft. 3.00 KETTLEDRUM—Dcep Red 15-18 in. 2.00 1½-2 ft. 3.00 LADY CLERMONT—Red, black blotch 15-18 in. 1.50 LADY CLERMONT—Red, black blotch 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 5.00-6.00		13.00
1½-2 ft. 2.50	£	2.00
BOULE DE NEIGE—Pure White 15-18 in. spread		2.50
1½-2 ft. spread		
15-18 in.	15-18 in. spread	
15-18 in. 1.50 2-2½ ft. 3.00 2½-3 ft. 4.00 CATAWBIENE ALBUM—White 15-18 in. 1.75 2½-3 ft. 5.00 3-3½-4 ft. 7.00 3½-4 ft. 10.00-12.00 CHARLES BAGLEY—Red 1½-2 ft. 1.50 CHARLES DICKENS—Vivid Scarlet 15-18 in. 2.00 1½-2 ft. 3.00 2½-3 ft. 6.00 DR. H. C. DRESSELHUIS—Aniline Red 15-18 in. 1.50 CHARLES DICKENS—Vivid Scarlet 15-18 in. 1.50 DR. H. C. DRESSELHUIS—Aniline Red 15-18 in. 1.50 1½-2 ft. 2.25 2-2½ ft. 3.00 3 ft. 5.00 E. S. RAND—Rich Scarlet 15-18 in. 1.50 H. W. SARGENT—Rich Crimson 15-18 in. 1.50 H. W. SARGENT—Rose Scarlet 2-2½ ft. 3.00 KETTLEDRUM—Deep Red 15-18 in. 1.50 LADY CLERMONT—Red, black blotch 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00	$1\frac{1}{2}$ -2 ft. spread	4.00
2-2½ ft. 3.00 2½-3 ft. 4.00 CATAWBIENE ALBUM—White 15-18 in. 1.75 2½-3 ft. 5.00 3-3½ ft. 7.00 3½-4 ft. 10.00-12.00 CHARLES BAGLEY—Red 1½-2 ft. 1.50 CHARLES DICKENS—Vivid Scarlet 15-18 in. 2.00 1½-2 ft. 3.00 2-2½ ft. 4.00 2½-3 ft. 6.00 DR. H. C. DRESSELHUIS—Aniline Red 15-18 in. 1.50 1½-2 ft. 2.25 2-2½ ft. 3.00 3 ft. 5.00 E. S. RAND—Rich Scarlet 15-18 in. 1.50 H. W. SARGENT—Rich Crimson 15-18 in. 1.50 H. W. SARGENT—Rich Crimson 15-18 in. 1.50 I½-2 ft. 2.50 IGNATIUS SARGENT—Rose Scarlet 2-2½ ft. 3.00 KETTLEDRUM—Deep Red 15-18 in. 1.50 I½-2 ft. 3.00 LADY CLERMONT—Red, black blotch 15-18 in. 1.50 1½-2 ft. 3.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-2 ft. 3.00		1 50
2½-3 ft. 4.00 CATAWBIENE ALBUM—White 15-18 in. 1.75 2½-3 ft. 5.00 3-3½ ft. 7.00 3½-4 ft. 10.00-12.00 CHARLES BAGLEY—Red 1½-2 ft. 1.50 CHARLES DICKENS—Vivid Scarlet 15-18 in. 2.00 1½-2 ft. 3.00 2-2½ ft. 4.00 2½-3 ft. 6.00 DR. H. C. Dresselhius—Aniline Red 15-18 in. 1.50 1½-2 ft. 2.25 2-2½ ft. 3.00 3 ft. 5.00 E. S. Rand—Rich Scarlet 15-18 in. 1.50 H. W. Sargent—Rich Crimson 15-18 in. 1.50 H. W. Sargent—Rich Crimson 15-18 in. 1.50 KETTLEDRUM—Deep Red 15-18 in. 2.00 1½-2 ft. 3.00 LADY CLERMONT—Red, black blotch 15-18 in. 1.50 1½-2 ft. 3.00 LADY CLERMONT—Red, black blotch 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-2½ ft. 3.00		
CATAWBIENE ALBUM—White 15-18 in. 1.75 2½-3 ft. 5.00 3-3½ ft. 7.00 3½-4 ft. 10.00-12.00 CHARLES BAGLEY—Red 1½-2 ft. 1.50 CHARLES DICKENS—Vivid Scarlet 15-18 in. 2.00 1½-2 ft. 3.00 2-2½ ft. 4.00 2½-3 ft. 6.00 DR. H. C. Dresselhuis—Aniline Red 15-18 in. 1.50 1½-2 ft. 2.25 2-2½ ft. 3.00 3 ft. 5.00 E. S. Rand—Rich Scarlet 15-18 in. 1.50 H. W. Sargent—Rich Crimson 15-18 in. 1.50 1½-2 ft. 2.50 IGNATIUS SARGENT—Rose Scarlet 2-2½ ft. 3.00 KETTLEDRUM—Deep Red 15-18 in. 1.50 1½-2 ft. 3.00 LADY CLERMONT—Red, black blotch 15-18 in. 1.50 1½-2 ft. 3.00 LADY CLERMONT—Red, black blotch 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 Mrs. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 Mrs. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-2 ft. 2.25 2½-3 ft. 5.00-6.00		
15-18 in. 1.75 2½-3 ft. 5.00 3-3½ ft. 7.00 3½-4 ft. 10.00-12.00 Charles Bagley—Red 1½-2 ft. 1.50 Charles Dickens—Vivid Scarlet 15-18 in. 2.00 1½-2 ft. 3.00 2-2½ ft. 4.00 2½-3 ft. 6.00 Dr. H. C. Dresselhuis—Aniline Red 15-18 in. 1.50 1½-2 ft. 2.25 2-2½ ft. 3.00 3 ft. 5.00 E. S. Rand—Rich Scarlet 15-18 in. 1.50 H. W. Sargent—Rich Crimson 15-18 in. 1.50 1½-2 ft. 2.50 Ignatius Sargent—Rose Scarlet 2-2½ ft. 3.00 Kettledrum—Deep Red 15-18 in. 2.00 1½-2 ft. 3.00 Lady Clermont—Red, black blotch 15-18 in. 1.50 1½-2 ft. 3.00 Lady Clermont—Red, black blotch 15-18 in. 1.50 1½-2 ft. 3.00 Mrs. C. S. Sargent—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 Mrs. C. S. Sargent—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 Mrs. C. S. Sargent—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-2 ft. 3.00		7.00
2½-3 ft		1.75
3-3½ ft		
3½-4 ft		-
1½-2 ft. 1.50 CHARLES DICKENS—Vivid Scarlet 15-18 in. 2.00 1½-2 ft. 3.00 2-2½ ft. 4.00 2½-3 ft. 6.00 DR. H. C. Dresselhuis—Aniline Red 15-18 in. 1.50 1½-2 ft. 2.25 2-2½ ft. 3.00 3 ft. 5.00 E. S. Rand—Rich Scarlet 15-18 in. 1.50 H. W. Sargent—Rich Crimson 15-18 in. 1.50 1½-2 ft. 2.50 IGNATIUS SARGENT—Rose Scarlet 2-2½ ft. 3.00 KETTLEDRUM—Deep Red 15-18 in. 2.00 1½-2 ft. 3.00 LADY CLERMONT—Red, black blotch 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 Mrs. C. S. Sargent—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 Mrs. C. S. Sargent—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-2 ft. 2.25 2½-2 ft. 3.00		12.00
CHARLES DICKENS—Vivid Scarlet 15-18 in		
15-18 in. 2.00 1½-2 ft. 3.00 2-2½ ft. 4.00 2½-3 ft. 6.00 DR. H. C. Dresselhuis—Aniline Red 15-18 in. 1.50 1½-2 ft. 2.25 2-2½ ft. 3.00 3 ft. 5.00 E. S. Rand—Rich Scarlet 15-18 in. 1.50 H. W. Sargent—Rich Crimson 15-18 in. 1.50 1½-2 ft. 2.50 Ignatius Sargent—Rose Scarlet 2-2½ ft. 3.00 Kettledrum—Deep Red 15-18 in. 2.00 1½-2 ft. 3.00 Lady Clermont—Red, black blotch 15-18 in. 1.50 1½-2 ft. 3.00 Lady Clermont—Red, black blotch 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 Mrs. C. S. Sargent—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 Mrs. C. S. Sargent—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2-2½-2 ft. 3.00		1.50
1½-2 ft. 3.00 2-2½ ft. 4.00 2½-3 ft. 6.00 DR. H. C. Dresselhuis—Aniline Red 15-18 in. 1.50 1½-2 ft. 2.25 2-2½ ft. 3.00 3 ft. 5.00 E. S. Rand—Rich Scarlet 15-18 in. 1.50 H. W. Sargent—Rich Crimson 15-18 in. 1.50 1½-2 ft. 2.50 IGNATIUS SARGENT—Rose Scarlet 2-2½ ft. 3.00 KETTLEDRUM—Deep Red 15-18 in. 2.00 1½-2 ft. 3.00 LADY CLERMONT—Red, black blotch 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-2 ft. 3.00		2.00
2-2½ ft		
2½-3 ft		
DR. H. C. DRESSELITUIS—Aniline Red 15-18 in. 1.50 1½-2 ft. 2.25 2-2½ ft. 3.00 3 ft. 5.00 E. S. RAND—Rich Scarlet 15-18 in. 1.50 H. W. SARGENT—Rich Crimson 15-18 in. 1.50 1½-2 ft. 2.50 IGNATIUS SARGENT—Rose Scarlet 2-2½ ft. 3.00 KETTLEDRUM—Deep Red 15-18 in. 2.00 1½-2 ft. 3.00 LADY CLERMONT—Red, black blotch 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-2 ft. 3.00		
15-18 in. 1.50 1½-2 ft. 2.25 2-2½ ft. 3.00 3 ft. 5.00 E. S. Rand—Rich Scarlet 15-18 in. 1.50 H. W. Sargent—Rich Crimson 15-18 in. 1.50 1½-2 ft. 2.50 IGNATIUS SARGENT—Rose Scarlet 2-2½ ft. 3.00 Kettledrum—Deep Red 15-18 in. 2.00 1½-2 ft. 3.00 Lady Clermont—Red, black blotch 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 Mrs. C. S. Sargent—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 Mrs. C. S. Sargent—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-2 ft. 3.00		
1½-2 ft		
3 ft. 5.00 E. S. RAND—Rich Scarlet 15-18 in. 1.50 H. W. SARGENT—Rich Crimson 15-18 in. 1.50 1½-2 ft. 2.50 IGNATIUS SARGENT—Rose Scarlet 2-2½ ft. 3.00 KETTLEDRUM—Deep Red 15-18 in. 2.00 1½-2 ft. 3.00 LADY CLERMONT—Red, black blotch 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2-2½ ft. 3.00		2.25
E. S. RAND—Rich Scarlet 15-18 in		
15-18 in. 1.50 H. W. SARGENT—Rich Crimson 15-18 in. 1.50 1½-2 ft. 2.50 IGNATIUS SARGENT—Rose Scarlet 2-2½ ft. 3.00 KETTLEDRUM—Deep Red 15-18 in. 2.00 1½-2 ft. 3.00 LADY CLERMONT—Red, black blotch 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 3.00		5.00
H. W. SARGENT—Rich Crimson 15-18 in		1.50
15-18 in. 1.50 1½-2 ft. 2.50 IGNATIUS SARGENT—Rose Scarlet 2-2½ ft. 3.00 KETTLEDRUM—Deep Red 15-18 in. 2.00 1½-2 ft. 3.00 LADY CLERMONT—Red, black blotch 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 3.00		1.50
1½-2 ft. 2.50 IGNATIUS SARGENT—Rose Scarlet 3.00 XETTLEDRUM—Deep Red 2.00 15-18 in. 2.00 1½-2 ft. 3.00 LADY CLERMONT—Red, black blotch 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 1.50 1½-2 ft. 2.25 2-2½ ft. 3.00	•	1.50
IGNATIUS SARGENT—Rose Scarlet 2-2½ ft. 3.00 KETTLEDRUM—Deep Red 15-18 in. 2.00 1½-2 ft. 3.00 LADY CLERMONT—Red, black blotch 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2-2½ ft. 3.00		
KETTLEDRUM—Deep Red 2.00 15-18 in. 3.00 LADY CLERMONT—Red, black blotch 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 MRS. C. S. SARGENT—Rosy Red 1.50 1½-2 ft. 2.25 2-2½ ft. 3.00		
15-18 in. 2.00 1½-2 ft. 3.00 LADY CLERMONT—Red, black blotch 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 Mrs. C. S. Sargent—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2-2½ ft. 3.00	2-2½ ft	3.00
1½-2 ft. 3.00 LADY CLERMONT—Red, black blotch 15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 Mrs. C. S. Sargent—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2-2½ ft. 3.00		-
LADY CLERMONT—Red, black blotch 15-18 in		
15-18 in. 1.50 1½-2 ft. 2.25 2½-3 ft. 5.00-6.00 Mrs. C. S. Sargent—Rosy Red 15-18 in. 1.50 1½-2 ft. 2.25 2-2½ ft. 3.00		3.00
$1\frac{1}{2}$ -2 ft.2.25 $2\frac{1}{2}$ -3 ft.5.00-6.00Mrs. C. S. Sargent—Rosy Rcd15-18 in.1.50 $1\frac{1}{2}$ -2 ft.2.25 2 - $2\frac{1}{2}$ ft.3.00	· ·	1.50
$2\frac{1}{2}$ -3 ft		
Mrs. C. S. Sargent—Rosy Red 15-18 in	$2\frac{1}{2}$ ft	
15-18 in		,
$1\frac{1}{2}$ -2 ft	15-18 in	1.50
	$1\frac{1}{2}$ -2 ft	
272-3 It 5.00		
	272-3 It	5.00

RHODODENDRON HYBRIDS, well budded
Roseum Elegans—Rose Pink 1½-2 ft. 2.50 2½-3 ft. 4.50
3½-4 ft
SCIADOPITYS verticillata Umbrella Pine 1½-2 ft. 2.00 2-2½ ft. 2.25 2½-3 ft. 2.75 4-5 ft. 7.50 TAXUS baccata English Yew
Very useful for city environments, re-
tains its glossy dark foliage under most trying circumstances. Thrives splendidly in TUBS and WINDOW BOXES.
15 in. " "
3-4 ft. "
—aurea 15-18 in
—hibernica Irish Yew 15-18 in. 1.20 3-3½ ft. 2.50
-overeindi Erect English Yew 3-4 ft. heavy 6.00
-repandens Spreading English Year 12-15 in. spread
canadensis
cuspidata Spreading Japanese Yew
15-18 in. spread
5-6 ft. "7.50-12.00 6-7 ft. "15.00-25.00

TAXUS CUSPIDATA CAPITATA
Upright Japanese Yea
12-15 in. regular
15-18 in. "
1½-2 ft. "
2-2½ ft. light
2-2½ ft. regular 1.00
2½-3 ft. light 1.20
2½-3 ft. regular 1.50
2½-3 ft. heavy 2.00
3-3½ ft. light 1.50
3-3½ ft. regular 2.00
3-3½ ft. heavy 2.50
3½-4 ft. regular 2.50
3½-4 ft. heavy 3.00
4-5 ft. regular 3.00
4-5 ft. heavy 4.00
5-6 ft. regular 5.00
6-7 ft. regular 6.00
6-7 ft. heavy 7.50
6-7 ft. very heavy 10.00-12.00
7-8 ft. light 7.50
7-8 ft. regular 10.00
7-8 ft. heavy 12.00
7-8 ft. very heavy 15.00-18.00
8-9 ft. regular
9-10 ft. regular 22.50
10-11 ft
11 ft
Taxus cuspidata capitata GLOBES and PYRAMIDS, closely sheared, effectively used in formal gardens or as tub plants. They resemble clipped Boxwood, but are hardier. GLOBES 15 in. 1.75 18 in. 2.00 21 in. 2.50 24 in. 3.00 27 in. 3.75 30 in. 4.50 36 in. 5.50

Taxus cuspidata capitata		
LININGOUT	STOCK	
•	per 100	per 1000
12-15 in. T.T. bare roots	\$25.00	\$225.00
15-18 in. T.T. ""	40.00	350.00

TAXUS
cuspidata fastigata Columnar Japanese Yew
Columnar form of the Japanese Yew.
The dense upright growth is covered
with glossy dark green foliage.
6-7 ft 6.00
7-8 ft
8-9 ft
9-10 ft
10-11 ft
—nana (brevifolia) Dwarf Japanese Yew
10-12 in. spread
12-15 in. " 1.00
15-18 in. " 1.50
1½-2 ft. " 2.00
2-2½ ft. " 2.50
$2\frac{1}{2}$ -3 ft. " 3.25
3-3½ ft. " 5.00
—intermedia, spreading form
1½-2 ft. spread 1.75
$2-2\frac{1}{2}$ ft. "
2½-3 ft. " 2.75
media hatfieldi
$2\frac{1}{2}$ -3 ft
3-3½ ft 4.00
media hicksi Hicks Yew
1½-2 ft 1.25
2-2½ ft
$2\frac{1}{2}$ ft 2.50
3-3½ ft
$3\frac{1}{2}$ -4 ft 4.00
4-5 ft
5 ft 6.00
THUJA occidentalis American Arborvitae
$2\frac{1}{2}$ ft
3-4 ft
4-5 ft
5-6 ft 2.00
6-7 ft 2.75
7-8 ft 4.00
—columbia — Columbia Arborvitae
4-5 ft 1.75
5-6 ft
6-7 ft
-compacta Parsons Dwarf Arborvitae
12-15 in
15-18 in
$1\frac{1}{2}$ -2 ft
—ellwangeriana Rheingold Rheingold Arborvitae
12-15 in. 1
—globosa Globe Arborvitae
12-15 in. diameter
13-18 111
18-24 in. " 1.00

THUJA occidentalis hoveyi Hovey Arborvitae
12-15 in
15-18 in
$1\frac{1}{2}$ -2 ft
—lutea George Peabody Arborvitae
3-4 ft 1.20
4-5 ft 1.75
pyramidalis Pyramidal Arborvitae
$2\frac{1}{2}$ -3 ft
$3-3\frac{1}{2}$ ft
3½-4 ft 1.20
$4-4\frac{1}{2}$ ft 1.50 $4\frac{1}{2}-5$ ft
4½-5 ft 1.80 5-6 ft 2.25
7-8 ft 4.00
10-12 ft
—spiralis Moss Arborvitae
4-5 ft 1.50
orientalis (BIOTA) Oriental Arborvitae
2½-3 ft
4-5 ft
—aurea nana Berckman's Golden Arborvitae
10-12 in
12-15 in
15-18 iu
18-21 in 1.20
21-24 in 1.70
$2-2\frac{1}{2}$ ft
3 ft
$3\frac{1}{2}$ ft
—compacta Dwarf Oriental Arborvitae 15-18 in
15-18 in
$2-2\frac{1}{2}$ ft
2½-3 ft 1.50
3-3½ ft 2.00
—elegantissima Yellow Column Arborvitae
$3\frac{1}{2}$ -4 ft
$4-4\frac{1}{2}$ ft 2.50
plicata atrovirens (lobbi) Giant Arborvitae
4-5 ft
standishi Standish Arborvitae
5-6 ft 2.50
TSUGA canadensis Canada Hemlock 15-18 in
1½-2 ft
2-2½ ft
$2\frac{1}{2}$ -3 ft
3-4 ft 1.50
4-5 ft
5-6 ft 3.50
6-7 ft
7-8 ft 6.00-7.50

TSUGA canadensis pendula
Sargent Weeping Hemlock 2½-3 ft. high, 2 ft. spread 3.00 3-4 ft. high, 2 ft. spread 4.00
2-2½ ft. high, 4-5 ft. spread .6.00-7.50 caroliniana
5-6 ft
Leatherleaf Viburnum 2-2½ ft. 1.00 2½-3 ft. 1.50 VINCA minor Periwinkle
2½ in. pots
DECIDUOUS TREES AND SHRUBS
ACANTHOPANAX pentaphyllum (Aralia) Five-leaf Aralia
3-4 ft
ACER palmatum 4-5 ft. B&B
palmatum atropurpureum Red Japanese Maple 2-2½ ft. (grafted) B&B 1.50 2½-3 ft. " " 1.75 3-4 ft. " " 2.00-4.00 4-5 ft. " "
—dissectum purpureum
Purple Cutleaf Japanese Maple 2 ft 2.00
platanoides
$2\frac{1}{4}-2\frac{1}{2}$ in. cal
$2\frac{1}{2}$ -3 in. cal 3.00
$3-3\frac{1}{2}$ in. cal
$4-4\frac{1}{2}$ in. cal 8.00 $4\frac{1}{2}-5$ in. cal
—schwedleri Schwedler's Maple
1 ³ / ₄ -2 in. cal 2.00
2-2 ¹ / ₄ in. cal
$2\frac{1}{4}-2\frac{1}{2}$ in. cal 3.00 $2\frac{1}{2}-3$ in. cal 4.00
$3-3\frac{1}{2}$ in. cal
rubrum Red Maple
2 in. cal
2½ in. cal 4.00 2½ in. cal 5.00
3 in. cal 7.00

ACER saccharum Sugar Maple
2-2 ¹ / ₄ in. cal 2.00
$2\frac{1}{4}-2\frac{1}{2}$ in. cal
$2\frac{1}{2}$ -3 in. cal 3.00
$3-3\frac{1}{2}$ in. cal 4.00
$3\frac{1}{2}-4$ in. cal 6.00
4-5 in. cal 12.00
AESCULUS hippocastanum Horse Chestnut
10 ft
-carnea Red Flowering Horechestnut
7-8 ft 4.50
AMELANCHIER canadensis Downy Shadblow
4-5 ft. native
5-6 ft. "
AMYGDALIS persica rubra
Double Flowering Peach
4-5 ft
ARALIA spinosa Devil's Walking Stick
4-5 ft
8-10 ft
ARONIA arbutifolia Red Chokeberry
2-3 ft
3-4 ft
4-5 ft
melanocarpa Black Chokeberry
2-3 ft
3-4 ft
4-5 ft
AZALEA amoena (See EVERGREENS, p. 3)
arborescens—white or blush Sweet Azalea
15-18 in
$1\frac{1}{2}$ -2 ft
calendulacea—yellow to orange Flame Asalea
$2-2\frac{1}{2}$ ft
$2\frac{1}{2}$ -3 ft
3-4 ft 3.00
5-6 ft 4.50
6-7 ft 6.00
hinodegiri (See EVERGREENS, page 4)
kaempferi—orange red Torch Azalea
2-2½ ft 2.00
mollis—yellow to orange Chinese Azalea
15 10. 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1½-2 ft. " " 1.50 2-2½ ft. " " 1.80
2-272 II 1.00
272-3 II 2.23
mucronulata early lavender Dahurian Azalea
$1\frac{1}{2}$ -2 ft
nudiflora—deep pink Pinxterbloom Azalea
$2\frac{1}{2}$ -3 ft
pontica—yellow Ghent Azalea
pontica—yellow Ghent Azalea 15-18 in
$1\frac{1}{2}$ -2 ft

AZALEA vaseyi	Pinkshell Azalea
2½-3 ft	2.75
viscosa	Swamp Azalea
$3-3\frac{1}{2}$ ft	3.00
4-5 ft	
yodogawa—iavender	
18 in	
$2\frac{1}{2}$ -3 ft	
BERBERIS thunbergi	
$1\frac{1}{2}$ -2 ft	
-atropurpurea Red	
15-18 in	
1 ¹ / ₂ -2 ft	
BETULA alba	
8-10 ft. B&B	-
10-12 ft. B&B	
12-14 ft. B&B	
14-16 ft. B&B	
(Specimens with on	
more stems. Price	
—laciniata	Cutleaved White Birch
16 ft. B&B	18.00
	Young's Weeping Birch
5-7 ft., 2 yr. head B	3.00 3.00
BUDDLEIA Ile de Fran	
$1\frac{1}{2}$ -2 ft., 2 yr	
Potgrown magnifica	Butterfly Bush
3-4 ft	
CALLICARPA purpurea	Chinese Beauty Berry
3 ft	
CALYCANTHUS florid	
	Common Sweet Shrub
$2\frac{1}{2}$ -3 ft	
CATALPA bungei	
Strong heads, 1½ in	in. cal
Extra strong heads,	
CERCIDIPHYLLUM j	
4-5 ft	
CERCIS canadensis	American Redbud
6 ft	
chinensis	Chinese Redbud
$1\frac{1}{2}$ -2, ft	
CLETHRA alnifolia	Summer Sweet
2-2 ½ ft	
4-5 ft	
COMPTONIA asplenifo	
1½ ft. B&B	
2 ft. B&B	60
CORNUS alba (siberica	a) Coral Dogwood
CORNUS alba (siberica	a) Coral Dogwood45
CORNUS alba (siberica	Coral Dogwood

CORNUS florida White	Flowering Dogwood -
	1.00
	1.50-2.00
6-7 ft. B&B	2.00-2.50
7-8 ft. B&B	3.00-4.00
7-8 II. D&D	4 00-7 00
8-10 ft. B&B	5.00.0.00
10-12 ft. B&B	
Heavy specimens priced	
	Flowering Dogwood
4-5 ft	0.00
5-6 ft	0 = 0
6-7 ft	
7-8 ft	
kousa	Kousa Dogwood
4-5 ft. B&B	
6-7 ft. B&B	2.00
7-8 ft. B&B	3.00-4.00
8-10 ft. B&B	4.00-5.00
mas	Cornelian Cherry
3 ft	
stolonifera lutea Go	lden Bark Dogwood
2-3 ft	
CORYLUS avellana	Filbert
5 ft	
CRATAEGUS crusgalli	Cockspur Thorn
5-6 ft. B&B	
6-8 ft. B&B	
oxyacantha Pauli Paul	's Scarlet Hazethorn
6-7 ft. B&B	
CYDONIA japonica	Flowering Quince
2 ft	
2½-3 ft	
3. ft	75 1 25
DAPHNE mezereum	
15-18 in. B&B	
1½-2 ft. B&B	
—alba Whi 1½-2 ft. B&B	te February Daphne
DEUTZIA gracilis	
1½ ft	
	ose Panicle Deutzia
2-2½ ft	
	Lemoine Deutzia
2½-3 ft	
scabra crenata fl. pl. I	
3-4 ft	
4-5 ft	
ENKIANTHUS campanulat	
	Redvein Enkianthus
2-2½ ft. B&B	
3-3½ ft. B&B	
4 ft. B&B	
EUONYMUS alatus	
3-4 ft	
4-5 ft	

ELIONYMIIC vode oncie	Chinasa	Engname
EUONYMUS yedoensis		
3-4 ft		
5-6 ft		1.00
EXOCHORDA grandiflora		Pearl Bush
4-5 ft		
FAGUS sylvatica		
3-4 ft. B&B		
4-5 ft. B&B		1.00
5-6 ft. B&B		1.50
6-7 ft. B&B	• • • • •	2.00
7-8 ft. B&B		3.25 -
8-10 ft. B&B		5.00
—purpurea	Pu	rple Beech
7-8 ft. B&B		7.00
8-10 ft. B&B		9.00
FORSYTHIA intermedia E		
3-4 ft		
4-5 ft		
—spectabilis Showy I	Border (Golden Bell
3-4 ft		.30
4-5 ft		
5-6 ft		
		Golden Bell
3-4 ft	• • • • •	.30
4-5 ft		.40
—suspensa fortunei Fortunei Fortunei - Fortu	ortune (Golden Bell
4-5 ft		.40
—viridissima Green E	Barked (Golden Bell
3-4 ft		
FRANKLINIA alatamaha		.so Gordonia
3-4 ft. B&B		1.25
4-5 ft. B&B		
5-6 ft. B&B		2.75
6-7 ft. B&B		3.50
FRAXINUS americana		
2-2½ in. cal		
GINKGO biloba		
13/4-2 in. cal	• • • • •	3.50
2-21/4 in. cal		4.00
3 in. cal		9.00
GLEDITSIA triacanthos		
Con	imon E	Honeylocust
7-8 ft		• "
8-10 ft		
GYMNOCLADUS dioica Ken		
8-10 ft		
HIBISCUS syriacus		
Double White, Double Pir	nk and	Single
Pastel Blue		4
3-4 ft		.30
4-5 ft		.40
		.50
5-6 ft. Pastel Blue		
8-10 ft. White and Pink		2.00
TREEFORM, White and Pink		
0.10 (4		2.00
8-10 ft		4.00

HYDRANGEA arb. Snow Ho	ill Hydrangea 30
—opuloides otaksa House 15 in. B&B	se Hydrangea
1½-2 ft. tub grown paniculata grandiflora	
2-3 ft	30
3-4 ft	40
5 ft., height of stem 3½ ft	90
5 ft., specimens	1.50
HYPERICUM moserianum 3 yr	
ILEX monticola Mountain 2-2½ ft	ı Winterberry
verticillata Common	
2-3 ft	
JASMINUM nudiflorum W	inter Jasmine
1½-3 ft. potgrown 3-4 ft. potgrown	
KERRIA japonica Ja	panese Kerria
2½-3 ft	
6-7 ft	1.50
8-9 ft	
2-3 ft	40
3-4 ft	-
4-5 ft	80
5-6 ft	
	1.50
7-8 ft LESPEDEZA formosa (DESMC	
Purpl	le Bush Clover
3-4 ft., 2 yr	
LIGUSTRUM ibota regelianum	Regal Privet
2-3 ft	
Special prices on large qui	antities
1½-2 ft., 2 yr	03
3-4 ft., 2 yr	07
4-5 ft., 3 yr	1225
5-6 ft. heavy	5090
7-8 ft., heavy	.75- 1.50
<i>GLOBES</i> 1½ ft., B&B	80
2 ft., B&B	1.20
2½ ft., B&B	_
2 201, 202 1111111111	

VISER'S NURSERIES	25
LIGUSTRUM ovalifolium	
PYRAMIDS	
5 ft., B&B 2.00	
6 ft., B&B	
,	
7 ft., B&B	
8 ft., B&B	
TREEFORM	
$3\frac{1}{2}$ -4 ft., B&B, very young heads 1.00	. ,
—aureum Golden P	rivet
15-18 in	
3-4 ft., very heavy and dense. 1.25	
GLOBES	
1½ ft., B&B	
2 ft., B&B 1.20	
2½ ft., B&B 1.50	
PYRAMIDS	
2½ ft., B&B 1.25	
3 ft., B&B 1.50	
4 ft., B&B 2.50	
LIQUIDAMBAR styraciflua Sweet	Gum
in. cal. B&B 4.00	
2½ in. cal. B&B 5.50	
LONICERA tatarica Tatarian Honeys	uckle
3-4 ft. (red and pink)30	•
4-5 ft	
LYCIUM chinensis Chinese Matrimony	Vine
3-4 ft	,
MAGNOLIA glauca Sweet	Bav
5-6 ft., B&B 3.50	,
6-7 ft., B&B 6.00	
soulangeana Saucer Mag	nolia
2½-3 ft., B&B 2.00	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
3-4 ft., B&B	
4-5 ft., B&B 3.50	
100,	
8-10 ft. specimen	
	molia
2010	
5 1 10	
MALUS atrosanguinea Carmine	Cruo
5-6 ft	
Baccaca	
10-12 ft	
eleyi	
10-12 ft	Cuah
floribunda Japanese Flowering	
5-6 ft 1.50	
6-7 ft	
ioensis plena Bechtel	
7-9 ft	C1
niedzwetskyana Red-vein	
5-6 ft	
6-8 ft	
scheideckeri Scheidecker	
5-6 ft)
spectabilis Chinese Flowering	
6-7 ft)

MORUS alba pendula Tea's Weeping Mulberry
1.20
MYRICA carolinensis Northern Bayberry
$2-2\frac{1}{2}$ ft
4-5 ft
NYSSA sylvatica Tupelo or Sour Gum
8-10 ft. B&B 4.00
$2\frac{1}{2}$ -3 in cal. B&B
$3-3\frac{1}{2}$ in cal. B&B
OXYDENDRUM arboreum Sourwood
6-7 ft 2.50
PHILADELPHUS coronarius Mock Orange
3-4 ft
—grandiflora Large Flowering Mock Orange
3-4 ft
4-5 ft
2-3 ft
virginalis (Everblooming)
Virginal Mock Orange
2-3 ft
3-4 ft
PHYSOCARPUS opulifolius Ninebark
4 ft
PLATANUS orientalis European Plane Tree
2 in. cal 3.50
2½ in. cal 5.50
3 in. cal 7.50
3½ in. cal 9.00
4-5 in. cal
POPULUS nigra italica Lombardy Poplar
8-10 ft
10-12 ft
simoni Simon Poplar
8-10 ft 1.00
PRUNUS cerasifera pissardi Purple-leaf Plum
6-7 ft
—— Newport
5- 6 ft
8-10 ft
glandulosa rosea fl. pl. (AMYGDALIS nana)
Double Pink-flowering Almond
$2\frac{1}{2}$ -3 ft
serrulata Oriental Cherry
JAPANESE CHÉRRIES, double flowering
7- 8 ft
8-10 ft. specimens 5.00-10.00
10-12 ft
JAMES H. VEITCH—rose pink
Kanzan—dark pink
Kofugen—deep rose Naden—shell pink
Rosea (Sieboldi)—light pink

JAPANESE CHERRIES,	double flowering
SHIDARA TAKURA— W	
4-6 ft	
6 Q f4	2 50 600
6-8 ft	hing Ishamasa Charry
subhirtella pendula Wee	
6-7 ft., 3 yr. heads	
6-7 ft., 4 yr. heads	
triloba plena Double	•
3 ft	
3-4 ft. specimens	1.00
QUERCUS palustris	Pin Oak
1½-1¾ in. cal	2.00
$1\frac{3}{4}$ -2 in cal	
2 -2½ in. cal	
$2\frac{1}{4} - 2\frac{1}{2}$ in. cal	
$2\frac{1}{2}$ -3 in. cal	
$\frac{3}{3}$ -3½ in. cal	6.50
$3\frac{1}{2}-4$ in. cal	
4 -5 in. cal	
5 -6 in. cal	18.00
rubra	Red Oak
8-10 ft	2.00
10-12 ft., 11/4 in. cal	
RHUS copallina	a a
2-3 ft	
3-4 ft	
4-5 ft	
cotinus	Smoke Tree
5-6 ft	
ROSA hugonis	
2 ft	
multiflora	Japanese Rose
3 ft	
	Red Rugosa Rose
1½-2 ft	· ·
·	
ROSE	
TEA, HYBRID TEA and	<i>EVERBLOOMING</i>
or MONTHLY ROSES	•
25 cents each unless c	otherwise noted,
for Pot Grown add 20	
101 101 GROWN and 20	cents per plant
Ami Quinard—	
Velvety crimson n	naroon
Autumn—burnt orang	<i>c</i>
BETTY UPRICHARD—sal	
CHARLES P. KILHAM—	
and orange	
Condesa de Sastago—	
and red	_
DAME EDITH HELEN—	<i>μιπκ</i>
highly perfumed	CC 1.1
Duchess of Welling	
EDITH NELLI PERKINS-	-
Editor McFarland— <i>b</i>	vrilliant pink .30
E. G. Hill—maroon	
2. 0. 11112 ///0//	

or MONTHLY ROSES:	OMIN G
ETOILE DE HOLLANDE—dark red	
Golden Dawn—strate vellote	.30
Golden Pernet—golden yellow	.30°
GRUSS AN TEPLITZ—scarlet	.50
Joanna Hill—clear yellow	.30
	.50
Julian Potin—golden yellow Kaiserin Augusta Victoria—whi	4 0
Lady Ashtown—pale carmine pin	R
MARGARET McGredy—brilliant red	
Mevrouw G. A. Van Rossem—	20
deep orange	.30
Miss Rowena Thom—satiny pink	
MME. ALBERT BARBIER—tareny yell	
MME. EDOUARD HERRIOT—orange y	ellorv
Mrs. Charles Bell—shell pink	
Mrs. E. P. Thom—yellower	.30
Mrs. Henry Morse—two-tone pind	k
Mrs. Pierre S. Du Pont—	
golden yellow	.30
Mrs. W. C. Miller—clear rose	
President Hoover—	
reddish orange and gold	
RADIANCE—pink	
RED RADIANCE—rosy red	•
Rev. F. Page Roberts—Indian	
yellow with deep carmine.	.30
Sister Therese—golden vellow	.40
Souvenir de Claudius Pernet—3	ellow
Souvenir de Georges Pernet—ora	
TALISMAN—coppery vellow	
VILLE DE PARIS—bright vellow.	.30.
WILHELM KORDES—coppery	
salmon	.30
CLIMBING ROSES and RAMBLERS	
For Pot Grown add 20 cents per pl	ant.
Pot Grown Plants of	
	1 110
Extra Size65 and Alberic Barbier—white, shaded	rup
	.25
yellow	.43
Albertine—coppery chamois	.25
yellow	.43
<u> </u>	.30
large blooms	
AMERICAN PILLAR—single, crimson	
Bess Lovett—red, large blooms Climbing American Beauty	.30
	25
—carmine pink	.25
CLIMBING GRUSS AN TEPLITZ—	.50
Scarlet everblooming Dooton Van Freet flesh bink	.25
Doctor Van Fleet—flesh pink Gardenia—yellow, turning to	.43
white	.25
TACOTTE—orange vellogy	30

CLIMBING ROSES and RAMBLERS
MME. GREGOIRE STAECHELIN
(Spanish Beauty) — pearl
$pink \dots \dots$
Mary Lovett—white, large
New Dawn, Plant Patent No. 1
Everblooming Dr. VAN
FLEET 1.00
Paul's Scarlet Climber—
scarlet
Primrose—pure yellow30
SILVER MOON—creamy
SALIX babylonica Babylon Weeping Willow
8-10 ft., $1\frac{1}{2}$ -2 in. cal 2.00
10-12 ft., 2 $-2\frac{1}{2}$ in. cal2.50-4.00 12-14 ft., $3\frac{1}{2}$ -4 in. cal6.00-10.00
caprea Pussy Willow
4-5 ft
vitellina aurea Golden Willow
14 ft
— pendula Golden Weeping Willow
10-12 ft., 2 $-2\frac{1}{2}$ in. cal2.50-4.00
12-14 ft., $3\frac{1}{2}$ -4 in. cal6.00-10.00
SAMBUCUS canadensis American Elder
5-6 ft
6-8 ft
9-10 ft 1.50
10-12 ft
2-2½ in. cal
$2\frac{1}{2}$ -3 in cal
—pendula Weeping Mountain Ash
6 ft
7-8 ft. heavy heads3.50-6.00
SPIREA arguta 2½-3 ft
3-4 ft
bumalda ANTHONY WATERER
Red Everblooming Spirea
1½ ft
2 ft
thunbergi Snowgarland-Thunberg Spired
2-2½ ft
3-4 ft
4 ft. heavy
STEPHANANDRA flexuosa
Cutleaf Stephanandra
3 ft
STYRAX japonica Japanese Snowbell
6-7 ft
SYMPHORICARPOS racemosus Snowberry
3 ft
3 ft

SVPINGA iosikaca	Hungarian Lilac
SYRINGA josikaea 3-4 ft	~
persica	Persian Lilac
$2\frac{1}{2}$ -3 ft	
3-4 ft villosa	Late Flowering Lilac
3-4 ft	<u> </u>
	Common Purple Lilac
3-4 ft	_
4-5 ft	
5-6 ft	
•	Common White Lilac
3-4 ft	4
4-5 ft	
HYBRIDS	
SYRINGA vulgaris	
(On own roots or §	,
ALPHONSE LAVALLE	2 2
double—2-2½	
CHARLES JOLY—red CHARLES THE TENTS	
2-3 ft.	
Ludwig Spaeth—re	eddish purple
$1\frac{1}{2}$ -4 ft.	1 1
MARIE LEGRAY—70h	<i>ite</i> 1½-2 ft.
MME. CASIMIR PERI	er—double white
$1\frac{1}{2}$ -2 ft.	
MME. LEMOINE—do	uble white
1½-3 ft. Rubra de Marley—	-bluish lanender
$2\frac{1}{2}$ -3 ft.	-oinish moenuel
Wм. Robinson—vi	olet pink 2-2½ ft.
$1\frac{1}{2}-2$ ft	
	1.00-2.00
TAMARIX africana	
4-5 ft	
TILIA americana	
4-5 in. cal	
	cleaf European Linden
$1\frac{1}{2}$ -2 in. cal 2 -2\frac{1}{2} in. cal	
$2^{1/2}$ -3 in. cal	
$3 -3\frac{1}{2}$ in. cal	
$3\frac{1}{2}$ -4 in. cal. low b	oranched 8.00
4-5 in. cal. ''	" 12.00-15.00
5-6 in. cal. "	"15.00
	European Linden
$2 -2\frac{1}{2}$ in. cal	
$2\frac{1}{2}$ -3 in. cal	
$3 -3\frac{1}{2}$ in cal	
	anched 12.00-15.00 " 15.00
<i>J</i> -0 III, Cal.	15.00

V			31
ULMUS amo	ericana	Am	erican Elm
2½-3	in. cal		3.50
			4.50
31/2-4			6.00
4-5			9.00
5-6	in cal		
	m. can	12.00	
pumila			hinese Elm
		• • • • • • • • • •	2.50
3½-4			7.50
4-5	ın. cal		
urni			haped Elm
VACCINIUI	M corymbos	sum <i>Highbush</i>	Blueberry
$2\frac{1}{2}$ -3 ft	. (heavy clu	imps) B&B.	1.00
3-4 ft	• • • • • • • • • • • • • • • • • • • •	" В&В.	1.50
4-5 ft	,,	mps) B&B. " B&B. " B&B.	2.50
pennsylvan	icum	Lowbush	Blueberry
		n <i>Mapleleaf</i>	
			.50
		American Cra	
			-
Carlesi			Viburnum
cassinoides			Withe-rod
3-4 ft			.50
dentatum			row Wood
3-4 ft		• • • • • • • • •	.40
dilatatum		Linden	Viburnum
3-4 ft			.60
		• • • • • • • • •	
lantana		Wayf	arina Tree
			30
lentago	• • • • • • • •		annyberry
	• • • • • • • •		
molle		Kentucky	
		European	
—sterile		Common	
2-3 ft. •.	 .	• • • • • • • • • •	.30
prunifoliun			Blackharv
3-4 ft. B	8&B		1.00
		leaf Japanese	
			.40
			.60
sieboldi			Viburnum
tomentosun	n	Doublefile	Vihurnum
		Donotejne	.40
T-J 11	• • • • • • • •		.60
J-0 II	• • • • • • • • •	• • • • • • • •	.00

VIBURNUM tom. plicatum Japanese.	
2½-3 ft	.35
WEIGELA candida Snow	Weigela
4-5 ft	.40
Eva Rathke Red Everblooming	•
2-3 ft	.30
floribunda Crimson	
3-4 ft	.35 .45
4-5 ft	
2-3 ft	
3-4 ft	.35
vaniceki Vanicek's Rosy Rea	l Weigela
3-4 ft	.35
ZANTHORHIZA apiifolia Yel	
15 in	.25
VINES	·
ACTININDIA arguta Bower	Actinidia
3 year	.30
Potgrown	
AKEBIA quinata Five-lea	•
	.30
Potgrown	.45
AMPELOPSIS quinquefolia Virginia	
3 year !	.25 .35
extra heavy, 7 ft	.50
tricuspidata (veitchi) Be	
	.25
Potgrown	30
BIGNONIA grandiflora Chinese Trun	npet Vine
3 year	.70
Mad. Gallen	5 0
3 year	.70
radicans Trun	npet Vine
3 year	.30 .50
CELASTRUS scandens B	ittersweet
3 year	.30
Potgrown	
CLEMATIS paniculata Sweet Autumn	
•	.25
Potgrown	
	ns-Bower
Potgrown	.30
LONICERA japonica halliana	28)
Hall Japanese Ho	nesignable
2 year	.25
5 in pots, strong	.35
periclymenum belgica, yellowish w	hite,
purple outside Dutch 1	Woodbine
2 year	.30
5 in pots	.40

LONICERA
sempervirens (scarlet) Trumpet Honeysuckle
2 year
5 in pots
POLYGONUM auberti Chinese Fleece Vine
2 year
5 in pots
RAMBLERS (see page 28)
WISTERIA multijuga Longcluster Wisteria
3 year
4 year, 9 in. pots 1.50
sinensis Chinese Wisteria
3 year4060
4 year, 9 in. pots 1.50
Heavy specimens1.00-3.00
FRUIT TREES AND BUSHES
APPLES
APRICOTS
CHERRIES
GRAPES 2 yr
4-5 ft., potgrown
6-8 ft., potgrown1.00-1.50
NUTS; Hazelnut
PEACHES
PEARS
TOT TYPE CO
PLUMS
PLUMS
QUINCES
PERENNIALS CYPRIPEDIUM acaule Lady's Slipper 20 DICENTRA spectabilis Field grown Field grown Stield grown Big Plantain Lily Variegata Variegated Plantain Lily 150-2.00 Lady's Slipper 20 25 Potgrown 25 Potgrown 25 Potgrown 25 Variegata Variegated Plantain Lily 25 Variegata Variegated Plantain Lily 28 LILIUM
PERENNIALS CYPRIPEDIUM acaule Lady's Slipper 20 DICENTRA spectabilis Bleeding Heart Field grown
HARDY HERBACEOUS PERENNIALS CYPRIPEDIUM acaule Lady's Slipper
HARDY HERBACEOUS PERENNIALS CYPRIPEDIUM acaule Lady's Slipper
HARDY HERBACEOUS PERENNIALS CYPRIPEDIUM acaule Lady's Slipper
HARDY HERBACEOUS PERENNIALS CYPRIPEDIUM acaule Lady's Slipper
HARDY HERBACEOUS PERENNIALS CYPRIPEDIUM acaule Lady's Slipper
HARDY HERBACEOUS PERENNIALS CYPRIPEDIUM acaule Lady's Slipper
PERENNIALS CYPRIPEDIUM acaule Lady's Slipper
PERENNIALS CYPRIPEDIUM acaule Lady's Slipper

PHLOX decussata Garden Phlox
Attraction—salmon pink15
H. B. May—clear pink, very
large
divaricata Blue Phlo.
SEMPERVIVUM archnoideum
Spiderweb Houseleek
housnechti
VINCA minor (see EVERGREENS, page 19)
REED MATS
These mats are imported from Holland. They
are very strong, tied with five strands of
tarred cord. They are used for windbreaks
rustic fences and covering for hot beds.
6½x6 ft.—each 1.20 Per 10—each 1.10
50 or more—each 1.10
PEAT MOSS
Prices according to market fluctuation.
LAWN GRASS-SEED
Prices according to market fluctuation.
FERTILIZERS
5-10-10
4-8-8
Dried Blood
Bonemeal 2-47-23
DUTCH BURLAP
Strong, Closely Woven
Size Per 100 In bale of 500
101 100 111 but 01 500
20x20 in
20x20 in
20x20 in. \$1.30 \$6.00 24x24 in. 1.90 8.50 28x28 in. 2.60 12.00
20x20 in

BERRY-BEARING TREES and SHRUBS Red Berries

ARONIA arbutifolia Red Chokeberry
BERBERIS thunbergi Japanese Barberry
BERBERIS thunbergi atropurpurea

Red-leaf Japanese Barberry

CORNUS florida
CORNUS kousa
CORNUS mas

White Flowering Dogwood
Kousa Dogwood
Cornelian Cherry

CONTONEASTER franchetti

COTONEASTER horiontalis Rock Cotoneaster

COTONEASTER hupehensis COTONEASTER salicifolia

Willowleaf Cotoneaster
CRATAEGUS crusgalli Cockspur Thorn
EUONYMUS alatus Winged Euonymus
GAULTHERIA procumbens Checkerberry
ILEX monticola Mountain Winterberry
ILEX opaca American Holly

ILEX verticillata

Common Winterberry

LONICERA tatarica Tatarian Honeysuckle MALUS (red, yellow and apple colored berries)

Flowering Crab Apple

NYSSA sylvatica

PYRACANTHA coccinea

ROSA multiflora

ROSA rugosa

SORBUS aucuparia

SYMPHORCARPOS vulgaris

Tupelo or Sour Gum

Scarlet Firethorn

Japanese Rose

Rugosa Rose

Coralberry

TAXUS

VIBURNUM americanum

American Cranberry Bush VIBURNUM dilatatum Linden Viburnum VIBURNUM opulus European Cranberry

White Berries

CORNUS alba

CORNUS stolonifera lutea Goldenbark Dogwood

MYRICA carolinensis

Northern Bayberry

PACHYSANDRA terminalis

Japanese Spurge

SYMPHORICARPOS racemosus

Snowberry

Orange Berries

CELASTRUS scandens Bittersweet
EUONYMUS radicans vegetus

Big Leaf Wintercreeper EUONYMUS yedoensis Chinese Euonymus

Black Berries

AMELANCHIER canadensis Downy Shadblow ARONIA melanocarpa Black Chokeberry ILEX crenata Japanese Holly ILEX crenata convexa Boxleaf Japan Holly

ILEX crenata latifolia

ILEX glabra

Inkberry

VIBURNUM lantana

VIBURNUM prunifolium VIBURNUM sieboldi Siebold Viburnum

Blue and Blue-Black Berries

AMPELOPSIS quinquefolia Virginia Creeper AMPELOPSIS tricuspidata Boston Ivy BERBERIS julianae CALLICARPA purpurea Chinese Beauty Berry JUNIPERUS virginiana LIGUSTRUM ibota regelianum

Spreading Regal Privet
MAHONIA aquifolium Oregon Hollygrape
VACCINIUM corymbosum Highbush Blueberry

VACCINIUM pennsylvanicum

VIBURNUM acerifolium Mapleleaf Viburnum VIBURNUM cassinoides VIBURNUM dentatum Arrowwood VIBURNUM lentago Nannyberry



INDEX OF BOTANICAL and COMMON NAMES

Pa	ige	Pa	ge
Abelia	3	Corylus	_
Abies		Cotoneaster	
Acanthopanax		Crab Apples, Flowering	
Acer		Cranberry	
Actinidia		Crataegus	22
Aesculus	20	Cryptomeria	8
Akebia	32	Cydonia	22
Almond	26	Cypress	6
Amelanchier	20	Cypripedium	33
Ampelopsis		Daphne8,	
		Deutzia	
Amygdalis			
Andromeda		Devil's Walking Stick	
Apples		Dicentra	
Apricots	33	Dogwood	21
Aralia19,	20	Douglas Fir	13
Arborvitae	17	Elder	29
Aronia	20	Elm	31
Arrow-wood	31	English Ivy	
Ash		Enkianthus	22
Azalea3,		Euonymus8,	22
Barberry4,		Exochorda	23
Bayberry		Fagus	
Beauty Berry Beauty Bush		Filbert	
Beech		Fir	_
Berberis 4,		Firethorn Fleece Vine	
Betula		Forsythia	
Bignonia		Franklinia	
Biota	18	Fraxinus	
Birch		Funkia	
Bittersweet		Gaultheria	
Blackhaw		Gingko	
Bleeding Heart		Gleditsia	
Blueberry		Golden Bell	
Boxwood		Golden Chain	
Bridal Wreath		GoldflowerGordonia	
Buddleia		Grapes	
Bush Clover		Gymnocladus	
Butterfly Bush		Hawthorn	2.2
Buxus		Heather	
California Privet		Hedera	8
Callipcarpa		Hemlock	_
Calluna		Hibiscus	
Catalaa		Holly	
Cedar		Hollygrape	
Cedrus		Honeylocust	23
Celastrus		Honeysuckle25, Horsechestnut	32
Cephalotaxus		Hosta	
Cercidiphyllum		Housleek	
Cercis	21	Hydrangea	
Chamaecyparis	6	Hypericum	
Checkerberry	8	Ilex8,	24
Cherries	33	Inkberry	
Cherry, Flowering		Ivy, Boston	
Cherry, Weeping		Ivy, English	
Chokeberry		Japanese Maple	
Slethra	21	Jasmine	
Coffee Tree	23	Juniper	24
Comptonia		Kalmia	10
Coral Berry		Katsura Tree	
Cornua	0.1	77	

INDEX—Continued

Page	Page
Koelreuteria 24	Purple Beach 23
Kolkwitzia24	Pyracantha 13
Laburnum 24	Quercus
Lady's Slipper 33	Quince, Flowering 22
Larch 24	Quinces
Larix	Ramblers 28
Laurel 10	Redbud 21
Leiophyllum 10	Retinospora 6
Lespedeza 24	Rhododendron 13
Leucothoe 10	Rhus 27
Ligustrum24	Rosα27
Lilac 30	Rose of Sharon 23
Lilium 33	Roses 27
Lily 33	Salix29
Linden 30	Sambucus 29
Liquidambar25	Sand Myrtle 10
Lonicera25, 32	Sempervivum
Lycium 25	Sciadopitys
Magnolia25	Shadblow 20
Mahonia 11	Smoke Tree 27
Maidenhair Tree 23	- Snowball 31
Malus	Snowbell 29
Maple	Snowberry 29
Matrimony Vine 25 Mock Orange 26	Sorbus 29 Sour Gum 26
Mock Orange	φ Spireα 29
Mountain Ash 29	Spruce 11
Mountain Laurel 10	Spurge 11
Mulberry 26	Stephanandra
Myrica 26	Styrax29
Nannyberry 31 Nine Bark 26	Sumac
Norway Maple 19	Sweet Bay 25
Nuts	Sweet Fern 21
Nyssα 26	Sweet Shrub 21
Oαk 27	Sweet Gum 25
Oxydendrum 26	Symphoricarpos 29
Pachysandra 11	Syringa 30
Paeonia	Tamarix
Peach, Flowering 20	Thuja
Pearl Bush 23	Tilia 30
Pears 33	Trumpet Vine 32
Peony 33	Tsuga 18
Periwinkle	Ulmus 31
Philadelphia	Umbrella Pine
Philadelphus	Vaccinium
Picea 11	Viburnum19, 31
Pieris	Vinca
Pine 12	Virginia Creeper 32
Pinus 12	Virgins-Bower 32
Plane Tree 26	Wayfaring Tree 31
Plantain Lily	Weigela 32
Platanus	White Birch
Plum, Yew 6	Winterberry 24
Plums	Wintercreeper 8
Polygonum 33	Wisteria 33
Poplar 26	Withe-Rod 31
Populus 26	Woodbine 32
Privet	Yellow Root
Pseudotsuga 13	Yew 15 Zanthorhiza 32

